

JS-N974(80X40X2T)

(000) 2T

背噴白底




裁切尺寸:

(000) 2t 256X268 mm 4pcs

(000) 2t 256x180 mm 1pcs

(000) 2t 256x312 mm 1pcs

(000) 2t 172x158 mm 3pcs



JS-N100A

#000 3T

背噴白底

裁切尺寸: 295X210 mm (自行加拋光尺寸)

8 mm

295 mm



非操作人員
禁止進入

PEWC

電力部 製

210 mm

JS-N818A
#402 2T
背噴白底



JS-N140
#000 2T
背噴黃底黑字

295.0 mm

5.0
12.5 mm

12.5

268.2

瓦斯漏氣表示燈

275.2

閃鳴時

109.2

請立即退避

191.8

12.5

12.5

210.0 mm

JS-N140-1
#000 2T
背噴白底黑字 ***背膠***

300.0 mm

5.0 mm

天然氣管線安全設備監控箱


251.1

12.5 mm

30.0 mm

17.2

JS-N882 (80*240*3T)
背噴紅底白字
裁切尺寸:508X492 mm



256.0 mm		
調整 吸 附 1-1	調整 吸 附 1-2	調整 吸 附 1-3
調整 吸 附 1-4	調整 吸 附 1-5	調整 吸 附 1-6
調整 吸 附 1-7	調整 吸 附 1-8	調整 儲 槽 A-1
調整 儲 槽 A-2	調整 儲 槽 B-1	調整 儲 槽 B-2
調整 吸 附 2-1	調整 吸 附 2-2	調整 吸 附 2-3
調整 吸 附 2-4	調整 吸 附 2-5	調整 吸 附 2-6
268.0 mm		


256.0 mm		
調整 吸 附 2-7	調整 吸 附 2-8	調整 儲 槽 大 A-1
調整 儲 槽 大 A-2	調整 儲 槽 大 B-1	調整 儲 槽 大 B-2
調整 大 A 排 氣	調整 大 B 排 氣	調整 A 排 氣
調整 B 排 氣	調整 回 收 球	調整 大 輸 出 瓶 1
調整 大 輸 出 瓶 2	調整 小 輸 出 瓶	調整 大 輸 出 海 3
調整 回 收	調整 回 收	
268.0 mm		


80.0 mm		6.0 mm	172.0 mm
使用中	使用中		
158.0 mm	150.0 mm		

再生中	再生中
-----	-----

再生完	再生完
-----	-----

3P100 更衣室1(入) Gowning Room 1 (IN) x1	3P150 充填室 Filling Room x1	3P210 滅菌室 Sterilization Room x1
3P130 更衣室3(出) Gowning Room 3 (OUT) x1	3P151 調劑室 Formulation Room x1	3P270 物流氣鎖室 MAL x2
3P140 更衣室4(出) Gowning Room 4 (OUT) x2	3P220 潔淨品室 Clean Storage x1	3P160 更衣室 Gowning Room x2
3P110 更衣室2(入) Gowning Room 2 (IN) x1	3P190 準備室(1) Preparation Room (1) x1	3P240 物流氣鎖室 MAL x2
3P120 氣鎖室 AL x2	3P260 封蓋室 Capping Room x2	3P200 準備室(2) Preparation Room(2) x1



	C:0	M:100	Y:100	K:0
	C:0	M:0	Y:0	K:20
	C:0	M:0	Y:0	K:100

(000) 3T
背黏泡棉膠

JS-N100

#000 5T

背噴白底

裁切尺寸420X297 mm(自行加拋光尺寸)

數量:6PCS

8 mm

420 mm



非經訓練合格操作員或經授權維護之人員請勿進入

丙類危險性

工作場所



PEWC

電力部 製

297 mm

JS-M632

